



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/500,091	11/26/2004	Hiroyuki Suzuki	450100-04305	7646
7590 William S Frommer Frommer Lawrence & Haug 745 Fifth Avenue New York, NY 10151				
04/15/2008				
EXAMINER				
PAN, YONGJIA				
ART UNIT		PAPER NUMBER		
2173				
MAIL DATE		DELIVERY MODE		
04/15/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

**Application No.**

10/500,091

**Applicant(s)**

SUZUKI ET AL.

**Examiner**

YONGJIA PAN

**Art Unit**

2173

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 January 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SE/US)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

1. This office action is in response to amendments filed January 14, 2008.
2. Rejection under 35 USC §112 2<sup>nd</sup> paragraph has been withdrawn.
3. Objection to the specification has been withdrawn.
4. Claims 1-20 are pending.

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-14 and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Saito (US Patent 6,349,303 B1) hereinafter referred to as Saito, Chemtob (US Patent 7,124,164 B1) hereinafter referred to as Chemtob, and Srinivasan (US Publication 2001/0023430 A1) hereinafter referred to as Srinivasan.

**Regarding claim 1**, Saito teaches a network-information-processing system comprising:

at least one information-processing apparatus for processing arbitrary information (*Figure 1 reference element 105*)(CPU 105 is for controlling the overall apparatus and executing the application program of the present invention)(2 lines 63-65), said information-processing apparatus having an input operation function (*Figure 1 reference elements 102 and 104*)(to means of input operation functions are disclosed);

information-controlling-and-displaying means for displaying an image based on information transferred from the information-processing apparatus (*Figure 1 reference elements 108 and 109*)(*The output unit 108 is a monitor, such as a CRT or LCD, and a printer for outputting document data and the like processed using the information processing apparatus of the present invention. The output interface 109 interfaces the output unit 108*)(column 3 lines 3-7);

information-creating apparatus for storing information contents displayed on the information-controlling-and-displaying means together with their time information to create electronic information contents (*Figure 2*)(*a flow chart for creating and storing contents is disclosed*); and

communication means for connecting at least the information-processing apparatus, the information-controlling-and-displaying means, and the information-creating apparatus (*Figure 1 reference element 112*)(*The system bus 112 interfaces the image input interface 102, the sound input interface 104, the CPU 105, the ROM 106, the RAM 107, the output interface 109, the user interface 113, and the external storage interface 111*)(column 3 lines 15-18),

wherein the information-controlling-and-displaying means controls the information-creating apparatus to store control information obtained on the basis of the input operation function (*Figure 1 reference element 113*)(*the user interface allows the operator of the information processing apparatus to make input operation functions*) of the information-processing apparatus together with the time information (*Figure 2 reference element 203*)(*step S203, at which the sound data is partitioned into sound*

*blocks and soundless blocks based upon the entered sound data and then recorded in a combined AV data storage unit 41, which has been allocated in the RAM 107, as combined audio-video data (referred to as "combined AV data" below). Further, information such as position information and time information indicating the location at which the entered sound and moving-picture data was entered is input from the external device and is recorded in an area provided in the combined AV data storage unit 41 to store this position and time information)(column 3 lines 40-50).*

Saito teaches a network-information-processing system as applied in the claim above. Saito differs from the claims in that Saito fails to teach when multiple information-processing apparatus are within a network, one information-processing apparatus becomes a clerk for administrating the network-information-processing system by opening a control function graphical user interface for the information-creating apparatus, wherein the graphical user interface displays face of attendees, IP address, icons of at least the information-processing apparatus and information creating apparatus, and connections between the information-processing apparatus and information-creating apparatus. However, the designation of one information-processing apparatus as clerk within a network of information-processing apparatus, wherein upon the clerk's display the face of attendees and icons representative of information-processing apparatus, information-creating apparatus, and respective connections are shown is taught by Chemtob (*The system 100 may be operated in a number of different modes, such as an operator mode, a participant mode, or a programmer mode. The operator mode is used by the person who "owns" the system 100 space or has the*

Art Unit: 2100

authority as "leader" or "Boss" or "Manager" (through password access) to set how the system will operate during any particular group meeting)(column 12 lines 4-10)(The graphical communications flow module 410 (FIG. 1) controls the interaction block 402, including an interaction matrix 408 used to illustrate the various group communications. The interaction matrix 408 enables members to view the entire group at all times and to observe simultaneous voice, written, and iconographic communications occurring between group members throughout a computer-based meeting in real-time)(column 12 lines 31-38)(The identity place box 410 may have a participant's name on it and/or may include a static photo of the participant or a dynamic video image. The identity place box 410 enables each group member to be identified by all other participants in the group)(column 12 lines 45-49). In addition, the display of attendees IP address is taught by Srinivasan (Figure 15)(FIG. 5 discloses an example list which may be created by the bridge which includes the names and IP addresses for the meeting attendees). Since Saito, Chemtob, and Srinivasan teach a system and method for conferencing within a network, it would have been obvious to one of skilled in the art to modify Saito to include Chemtob's designation of one information-processing apparatus as clerk within a network displaying the face of attendees and icons representative of information-processing apparatus, information-creating apparatus, and respective connections upon the clerk's display and Srinivasan's display of attendees IP address to achieve the predictable result of displaying conference management information in a information processing system.

**Regarding claim 2,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein said information-controlling-and-displaying means includes:

a display apparatus for displaying the image based on the information transferred from said information-processing apparatus (*Saito - Figure 1 reference element 108*)(*the output unit is a display apparatus for displaying information from the processing apparatus*); and

information-processing-assisting apparatus for assisting electronic information processing including control of said display apparatus based on the input operation instruction by said information-processing apparatus (*the CPU controls the overall operation of the apparatus, thus it takes in input from input interfaces and as a result controls the display apparatus as the application program executes*).

**Regarding claim 3,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein the control information is set corresponding to the displayed information contents stored in said information-creating apparatus by using the input operation function of said information-processing apparatus (*Saito - The user interface 113 has a keyboard and a pointing device, such as a mouse, and allows the operator of the information processing apparatus to make entries*)(column 3 lines 12-14).

**Regarding claim 4,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein the control information is set corresponding to the displayed information contents regularly or irregularly (*Saito -*

*Figure 5)(the partitioned blocks of entered sound and moving pictures are shown, each block is set by the partitioning of input).*

**Regarding claim 5,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein said control information is identification information for setting a mark to the displayed information contents (*Saito - Figure 4)(each block has an identification element of time and position information, which sets a mark for the block).*

**Regarding claim 6,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 3, wherein said control information is identification information for setting a mark and said information-creating apparatus stores a number of mark, time, and title relating to the identification information (*Saito - Figure 4)(text data, position information (mark), and time information is stored in a block).*

**Regarding claim 7,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein said information-creating apparatus classifies the displayed information contents into arbitrary split information contents based on said control information (*Saito - Figure 4)(the blocks are placed in order, the order is classified during the process of splitting the input into blocks).*

**Regarding claim 8,** Saito-Chemtob-Srinivasan teach the network-information-processing system according to claim 1, wherein a reproducing order of said split information contents is set using the input operation function of the information-processing apparatus (*Saito - the order in which the blocks are laid out correspond to the reproducing order of the data, the blocks are laid out in time series order)(Figure 6*



*reference element 7005)(As illustrated at 7005, text data and image data at point A and text data and image data at point B are laid out in a time series (serially) to create minutes arranged in line with the flow of the conference)(column 5 lines 35-38).*

**Regarding claim 9**, Saito-Chemtob-Srinivasan teach the-network-information-processing system according to claim 1, wherein the displayed information contents are downloaded from said information-creating apparatus to said information-processing apparatus, and said information-processing apparatus reproduces the displayed information contents *(Saito - Figure 6 reference element 7005)(displayed is the output of the information processing apparatus processing the content downloaded from the information creating apparatus).*

**Regarding claim 10**, Saito-Chemtob-Srinivasan teach the-network-information-processing system according to claim 1, wherein the displayed information contents are edited using the input operation function of said information-processing apparatus *(Saito - The user interface 113 has a keyboard and a pointing device, such as a mouse, and allows the operator of the information processing apparatus to make entries)(column 3 lines 12-14)*, and said information-creating apparatus creates the electronic information contents based on the displayed information contents thus edited *(the entries allow for the arrangement of documents which causes the information processing apparatus to create and store content).*

**Regarding claim 11**, Saito-Chemtob-Srinivasan teach the-network-information-processing system according to claim 1 further comprising motion image/audio input apparatus for inputting at least image or audio, said image or audio excluding the

information transferred from said information-processing apparatus (*Saito - Figure 1 reference element 101 and 103*)(an image and an auto input unit are disclosed for input into the processing system).

**Regarding claim 12**, Saito teaches an information-processing method comprising the steps of:

connecting at least one information-processing system for processing arbitrary information (*Figure 1 reference element 112*)(The system bus 112 interfaces the image input interface 102, the sound input interface 104, the CPU 105, the ROM 106, the RAM 107, the output interface 109, the user interface 113, and the external storage interface 111)(column 3 lines 15-18), said information-processing system having an input operation function (*The user interface 113 has a keyboard and a pointing device, such as a mouse, and allows the operator of the information processing apparatus to make entries*)(column 3 lines 12-14), an information-controlling-and-displaying system for displaying an image based on information transferred from the information-processing system (*Figure 1 reference elements 108 and 109*)(The output unit 108 is a monitor, such as a CRT or LCD, and a printer for outputting document data and the like processed using the information processing apparatus of the present invention. The output interface 109 interfaces the output unit 108)(column 3 lines 3-7), and an information-creating system for storing information contents displayed on the information-controlling-and-displaying system together with their time information to create electronic information contents to each other through communication means (*Figure 2*)(a flow chart for creating and storing contents is disclosed, the flow chart is

*processed by the CPU though communication of other devices in the system thus creating an electronic document);*

setting control information corresponding to the information-creating system by using the input operation function of said information-processing system *(the user interface sets the control information via entries); and*

storing the set control information with the time information in the information-creating system *(Figure 4)(each block has time information associated with it).*

Saito teaches a network-information-processing method as applied in the claim above. Saito differs from the claims in that Saito fails to teach when multiple information-processing apparatus are within a network, one information-processing apparatus becomes a clerk for administrating the network-information-processing system by opening a control function graphical user interface for the information-creating apparatus, wherein the graphical user interface displays face of attendees, IP address, icons of at least the information-processing apparatus and information creating apparatus, and connections between the information-processing apparatus and information-creating apparatus. However, the designation of one information-processing apparatus as clerk within a network of information-processing apparatus, wherein upon the clerk's display the face of attendees and icons representative of information-processing apparatus, information-creating apparatus, and respective connections are shown is taught by Chemtob *(The system 100 may be operated in a number of different modes, such as an operator mode, a participant mode, or a programmer mode. The operator mode is used by the person who "owns" the system 100 space or has the*

Art Unit: 2100

authority as "leader" or "Boss" or "Manager" (through password access) to set how the system will operate during any particular group meeting)(column 12 lines 4-10)(The graphical communications flow module 410 (FIG. 1) controls the interaction block 402, including an interaction matrix 408 used to illustrate the various group communications. The interaction matrix 408 enables members to view the entire group at all times and to observe simultaneous voice, written, and iconographic communications occurring between group members throughout a computer-based meeting in real-time)(column 12 lines 31-38)(The identity place box 410 may have a participant's name on it and/or may include a static photo of the participant or a dynamic video image. The identity place box 410 enables each group member to be identified by all other participants in the group)(column 12 lines 45-49). In addition, the display of attendees IP address is taught by Srinivasan (Figure 15)(FIG. 5 discloses an example list which may be created by the bridge which includes the names and IP addresses for the meeting attendees). Since Saito, Chemtob, and Srinivasan teach a system and method for conferencing within a network, it would have been obvious to one of skilled in the art to modify Saito to include Chemtob's designation of one information-processing apparatus as clerk within a network displaying the face of attendees and icons representative of information-processing apparatus, information-creating apparatus, and respective connections upon the clerk's display and Srinivasan's display of attendees IP address to achieve the predictable result of displaying conference management information in a information processing method.

**Regarding claim 13,** Saito-Chemtob-Srinivasan teach the information-processing method according to claim 12, wherein if said displayed information contents are streaming data and said control information is mark information, the mark information is set to the streaming data by specifying a marker previously in storing *(information such as position information and time information indicating the location at which the entered sound and moving-picture data was entered is input from the external device and is recorded in an area provided in the combined AV data storage unit 41 to store this position and time information)*(column 3 lines 45-50) and the streaming data is reproduced by drifting into a marker position previously specified on the basis of the mark information in reproducing *(Figure 12)(each block contains moving picture data, of which selected allows the reproducing of the data).*

**Regarding claim 14,** Saito-Chemtob-Srinivasan teach the information-processing method according to claim 12, wherein reproducing order is previously set for every unit of marker if reproducing the streaming data using the marker *(Figure 11 reference element A106 and Figure 12)(the marker is the position and time information stored, each order is set in Figure 11 step S106).*

**Regarding claim 17,** Saito-Chemtob-Srinivasan teach the information-processing method according to claim 14, wherein by setting the reproducing order of the streaming data at random, the streaming data is reproduced at random by a marker unit *(if the assignment of the values of position and time information is random, the block order will be random thus rendering a reproduced stream based upon block order random).*

**Regarding claim 18**, Saito-Chemtob-Srinivasan teach the information-processing method according to claim 14, wherein said marker is manually set (*Then, at step S706, moving-picture data that corresponds to one sound block is partitioned at prescribed time intervals  $T$  and  $n$  items of still-picture data are generated from the moving-picture data that corresponds to the time partitioned*)(column 8 lines 56-60).

**Regarding claim 19**, Saito-Chemtob-Srinivasan teach the information-processing method according to claim 14, wherein said marker is set every set period of time (*the markers are set at every prescribed time intervals*).

**Regarding claim 20**, Saito-Chemtob-Srinivasan teach the information-processing method according to claim 12, wherein said information-creating system classifies the displayed information contents into arbitrary split information contents based on said control information (*Figure 15*)(*the blocks are placed in order, the order is classified during the process of splitting the input into blocks*).

7. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Saito-Chemtob-Srinivasan and further in view of Suzuki (US Patent 6,470,356 B1) hereinafter referred to as Suzuki.

**Regarding claims 15 and 16**, Saito-Chemtob-Srinivasan teach an information-processing method as applied in the claims above. Saito-Chemtob-Srinivasan differs from the claims in that Saito-Chemtob-Srinivasan fails to teach the replacement of reproduction order and the deletion of unnecessary parts. However, the method of replacement of reproduction order and the deletion of unnecessary parts is taught by Suzuki (*Figure 6*)(*a plurality of marks are disclosed, the already mark allow for the*

*skipping of parts thus allowing for the replacement and deletion of parts from the reproduction of a stream*). Since both Saito-Chemtob-Srinivasan and Suzuki both teach a system and method for multimedia information processing, it would have been obvious to one of skilled in the art to modify Saito-Chemtob-Srinivasan to include Suzuki marking types to achieve the predictable result of the replacement of reproduction order and the deletion of unnecessary parts in a information processing method.

### ***Response to Arguments***

8. Applicant's arguments, see page 10 of applicant's remarks, filed January 14, 2008, with respect to the specification have been fully considered and are persuasive. The objection of the specification has been withdrawn.
9. Applicant's arguments, see page 11 of applicant's remarks, filed January 14, 2008, with respect to the 35 U.S.C. §112 2<sup>nd</sup> paragraph rejection have been fully considered and are persuasive. The 35 U.S.C. §112 2<sup>nd</sup> paragraph rejection has been withdrawn.
10. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YONGJIA PAN whose telephone number is (571)270-1177. The examiner can normally be reached on Monday through Friday 9:00 AM - 6:00 (EST) PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dennis Chow can be reached on 571-272-7767. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2100

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Yongjia Pan  
April 9, 2008

/DENNIS-DOON CHOW/  
Supervisory Patent Examiner, Art Unit 2173